F3C-AR230 1/4



PRODUCT-DETAILS

# **F3C-AR230**

# Autoreclosing unit F3C-AR



General Information	
Extended Product Type	F3C-AR230
Product ID	2CSF202998R0034
EAN	8012542539551
Catalog Description	Autoreclosing unit F3C-AR
Long Description	Auto-reclosing units are used to automatically operate the reclosing of the associated device in case of unwanted tripping. Suitable for F200 series up to 100 A and F200 B type up to 63 A

ABB EcoSolutions	
Environmental Product	9AKK108470A7409
Declaration - FPD	

Technical	
Suitable For	F200 up to 100A
	F200 B Type up to 63A
Suitable for Product	Auxiliary switch/relay

F3C-AR230 2/4

Mechanical Endurance	15000 cycle
Tightening Torque	0.4 N·m
Number of Batteries	0
Cable Size	0.2 2.5 mm²
Connecting Capacity	Flexible 0.2 2.5 mm²
Wire Stripping Length	5 mm
Terminal Type	Plug-in Connection

Εl	ectrica	

Rated Voltage (U <sub>r</sub> )	230 240 V
Rated Operational Voltage	230 240 V AC
Supply Voltage	230 240 V AC V
Input Voltage Type	AC/DC
	<30 V·A
Overvoltage Category	III

## Design

Number of Modules 1

## **Material Compliance**

RoHS Declaration	9AKK108468A8802
RoHS Information	Following EU Directive 2011/65/EU and Amendment 2015/863 July 22, 2019
RoHS Date	20231130
REACH Declaration	9AKK108467A9482
REACH Information	False - does not contain substances > 0.1 mass percentage
Conflict Minerals Reporting Template (CMRT)	9AKK108468A3363
WEEE Category	5. Small Equipment (No External Dimension More Than 50 cm)
WEEE B2C / B2B	Business To Consumer

#### **Environmental**

Ambient Air Temperature	Operation -25+60 °C
Degree of Protection	Housing IP40 Terminals IP20
Pollution Degree	2
Resistance to Vibrations	20 Cycles with Load 0.8 In: 1g 5 150 5 Hz
Resistance to Shock acc. to IEC 60068-2-27	25g 2 shocks 13 ms

#### **Dimensions**

Width in Number of	1
Modular Spacings	
Product Net Width	80 mm
Product Net Height	104.15 mm

F3C-AR230 3/4

Product Net Depth / Length	25.85 mm
Product Net Weight	100 g
Dimension Diagram	9AKK108469A6919

Ordering	
Package Level 1 Units	box 1 piece
Package Level 1 Gross Weight	0.127 kg
E-Number (Norway)	1683267
E-Number (Sweden)	2101507

Certificates and Declarations	
Declaration of	9AKK108468A8802
Conformity - CE	

Installation	
Instructions and	9AKK108468A3844
Manuals	

Popular Downloads	
Data Sheet, Technical Information	9AKK108469A4955
Electrical Drawings	9AKK108469A6923

External Classifications and Stan	idards
ETIM 9	EC001286 - Auxiliary device for distribution board devices
ETIM 10	EC001286 - Auxiliary device for distribution board devices
Standards	IEC63024

## Categories

 $Low\ Voltage\ Products\ and\ Systems\ \rightarrow\ Modular\ DIN\ Rail\ Products\ \rightarrow\ Residual\ Current\ Devices\ RCDs\ \rightarrow\ Autoreclosing\ Devices\ for\ RCDs$ 

F3C-AR230 4/4





